# 

# Ketamine (Ketalar)

Authorization to administer Ketamine requires waiver approval by the State of Colorado and must conform to written protocols. Ketamine cannot be administered outside of these protocols even with Direct Verbal Orders from a physician.

## Description

Nonbarbiturate, sedative hypnotic. Ketamine produces profound analgesia through dissociative anesthesia.

#### Indications

- Sedation for RSI For RSI Approved Providers ONLY
- Sedation post RSI For RSI Approved Providers ONLY
- Management of Severe Pain
- Management of Moderate Pain in patients with Systolic Blood Pressure < 90mm Hg
- Excited Delirium

#### Precautions

• Ketamine can cause hypertension and tachycardia. Caution should be used with cardiac, stroke and intracranial hemorrhage patients.

#### Contraindications

- Hypertensive Emergency
- Suspected MI or Stroke

#### Side effects

- Laryngospasm, vomiting, and hypersalivation.
- Emergence with anxiety, agitation or hallucinations.

#### Caution/Comments:

- The objective of pain management is not the removal of all pain, but rather, to make the patient's
  pain tolerable enough to allow for adequate assessment, treatment and transport
- ETCO2 and cardiac monitoring required.

#### Dosage and Administration

# **RSI Induction**

Adult IV: 1.5 mg/kg

# **RSI** post intubation sedation

Adult IV: 0.5 mg/kg

## **Excited Delirium**

Adult Dose IM: 4 mg/kg (max dose 500mg)

#### 

PARAMEDIC

## Management of Severe Pain OR Management of Moderate Pain in patients with Systolic Blood Pressure < 90mm Hg Adult Dose IV: 0.3 mg/kg (slow IV push) Adult Dose IM: 0.5mg/kg

# Management of Severe Pain OR

**Management of Moderate Pain in patients with Systolic Blood Pressure < 90mm Hg** Pediatric Dose IV: 0.3 mg/kg (slow IV push)

## Protocol

- Rapid Sequence Intubation
- Pain Management